

PAS

Pain Acceptance Scale

Patient: Prince Charming

SSN: 667-90-8876

Date of Birth: 01/01/1930

Sex: male

Date Tested: 02/12/2012

Reviewed by: Blake Tearnan, PhD

The patient was administered the Pain Acceptance Scale (PAS) to evaluate his/her level of pain acceptance. Preliminary studies suggest that this construct is associated with higher levels of patient adjustment and lower levels of overall disability.

PAS - Pain Acceptance Scale

by


Blake H. Teaman, Ph.D.

The Pain Acceptance Scale (PAS) is part of the Pain Assessment Series
Copyright 2002 - 2009 by HealthNetSolutions All Rights reserved.

Published and distributed by:
HealthNetSolutions.com
4790 Caughlin Parkway Ste. 160
Reno, NV 89509
Phone: (888) 286-9302
Fax: (866) 476-4317
Email: hnsassessment@gmail.com
Website: www.healthnetsolutions.com

**PAIN ACCEPTANCE SCALE TEST
PAS PROFILE**

Patient: Prince Charming
ID: 667-90-8876
Date of Birth: 01/01/1930
Gender: male



Admin 1 (02/12/2012)

PAS Profile Interpretation

The Pain Acceptance Scale (PAS) measures three factors of pain acceptance:

Coping Strength (CS) quantifies the patient's efficacy beliefs for moving forward with the challenges of life despite pain.

Reconciliation (R) assesses the patient's acceptance of the permanence and inevitability of pain.

Pain Tolerance (PT) evaluates the patient's beliefs of pain tolerance.

The Total PAS score (Total PAS) is the mean value of the three PAS scales. Higher scale scores (>3) and Total PAS scores (>3) indicates a greater amount of pain acceptance. Pain acceptance is associated with a patient's mood, other pain beliefs, psychological distress, activity level, and overall adjustment.

Copyright 2001 All Rights Reserved by HealthNetSolutions

CONCLUSIONS

The patient was administered the PAS to evaluate his/her pain acceptance. Below is a summary of the results.

Scale	Admin 1 02/12/2012	
Dimension-Coping Strength	3.00	moderate
Dimension-Pain Tolerance	1.00	low
Dimension-Reconciliation	3.00	moderate
Dimension-Total PAS	2.00	low

The following are items the patient endorsed as not applicable or failed to respond to:

Questions